


01327 PARALLEL BARS PLUS 3 M TILT

It is a 3-meter long parallel bar system used for physical or rehabilitative training activity and includes painted steel framework, a wooden, laminated, wearproof footboard and is equipped with access ramps. The handrails are thermoplastic and non-slip. All parts can easily be washed. These parallel bars can be adjusted for height with the innovative "STandGOSystem™", which allows immediate adaptation to the build of the user. The height of the handrails can also be modified during rehabilitation. Additionally, the distance between the handrails can be adjusted. The inclination of the main footboard can be varied from 0 to 10 degrees in a simple manner using a manual control. The inclination is servo-controlled by gas springs and allows the therapist to make adjustments with minimal effort, before use by the patient. Thermoplastic modules or bags can be used on the footboard to create specific therapeutic rehabilitation walkpaths.

Weight: 106 kg




Detail of the handrail adjustment for tilt.


Detail of the handrail height adjustment.



Note: The limit bar is standard for the Parallel Plus 3M Tilt model



The glider for parallel bars (code 01380) can be used with another identical glider in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that walking can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist.



Handrail width adjustment, three positions.

TECHNICAL SPECIFICATION	
ARTICLE CODE	01327 Plus 3M Tilt
Max dimensions (cm)	311 x 81 x 108 H
Handrail height adjustment system	STandGO™, double gas spring
Min – max handrail height (cm)	74 ÷ 102
Handrail width adjustment system	Manual, 3 positions available
Handrail width min - max (cm)	55 ÷ 71
Footboard inclination adjustment	Manual, gas-assisted
Footboard inclination (degrees)	Max 10°
Maximum load for inclined footboard (kg)	150
Individual handrail loadbearing capacity (Kg)	135
Modularity (combination of more parallel bars)	removable access slide
Weight (Kg)	106

ACCESSORIES

Modular walk paths:

- 08586 ROLLS AND BAGS
- 08587 SENSORY MODULES
- 08589 HEMISPHERES
- 08591 CONCAVE-CONVEX
- 01330 OBSTACLE-HURDLE MODULES
- 02400 1 KG GAIT BAG
- 02410 2 KG GAIT BAG
- 02420 3 KG GAIT BAG
- 02500 300 G MOTOR TRAINING BAG
- 02510 MOTOR TRAINING BAG SET.
- 08585 SET OF SENSORY BAGS
- 01379 SET OF THERAPY WALK PATHS
- 01335 CART FOR PORTABLE WALK PATHS

To support the patient:

- 01380 PARALLEL BAR GLIDER

See the initial pages of this presentation for more details on the principal characteristics of the product and its accessories.



SLOPING SITUATIONS AT THE GYM

The inclination of the main footboard of this parallel bar system (code no. 01327) allows extending the conditions of ambulation difficulty by the patient within the therapeutic rehabilitation program. In this manner, the patient does not have to leave the gym in order to recreate sloping situations.



TRAINING IN LIMITED SPACE: The Plus line parallel bars are specifically suitable, for use in very limited space, as they allow the therapist to do extensive work using a wide range of therapeutic – rehabilitation exercises.

Standard Line, parallel bars

01328 STANDARD PARALLEL BARS 3M

It is a 3-meter long parallel bar system used for physical or rehabilitative training activity. It includes painted steel framework and a wooden, laminated, wearproof footboard, and is equipped with access reps. The handrails are thermoplastic and non-slip. All parts can easily be washed.


These parallel bars can be adjusted for height using a telescopic system. Locking is assured by a twin hand wheel that prevents both accidental loosening as well as possible slight settling of the uprights when the ambulating person is being loaded.

Thermoplastic modules or bags can be used on the footboard to create specific therapeutic rehabilitation walkpaths.

Weight: 85 kg



Details of the handrail adjustment for height.



The glider for parallel bars (code 01380) can be used with another identical glider in order to allow the user to autonomously turn around on the spot at the end of the walkpath, so that walking can be continued. Although turning around on the spot is a complex gesture, it can be learned by the patient if supported by the therapist.



PARALLEL BARS AND STAIRCASES



AC0550 LIMIT BAR

The limit and support accessory can be requested, to assist the user with changing the ambulation direction, and extending the therapeutic – rehabilitation course. This accessory is available for all models.

TECHNICAL SPECIFICATION	
ARTICLE CODE	01328 Standard 3M
Dimensions max (cm)	311 x 83 x 114 H
Handrail height adjustment system	telescopic
Handrail height min - max (cm)	77 ÷ 107
Handrail width adjustment system	Not available
Handrail width adjustment (cm)	Not available
Footboard incline adjustment	Not available
Individual handrail loadbearing capacity (Kg)	135
Modularity (combination of more parallel bars)	removable access slide
Weight (Kg)	85

ACCESSORIES

Modular walk paths:

- 08586 ROLLS AND BAGS
- 08587 SENSORY MODULES
- 08589 HEMISPHERES
- 08591 CONCAVE-CONVEX
- 01330 OBSTACLE-HURDLE MODULES
- 02400 1 KG GAIT BAG
- 02410 2 KG GAIT BAG
- 02420 3 KG GAIT BAG
- 02500 300 G MOTOR TRAINING BAG
- 02510 MOTOR TRAINING BAG SET.
- 08585 SET OF SENSORY BAGS
- 01379 SET OF THERAPY WALK PATHS
- 01335 CART FOR PORTABLE WALK PATHS

To support the patient:

- 01380 PARALLEL BAR GLIDER
- AC0550 LIMIT BAR

See the initial pages of this presentation for more details on the principal characteristics of the product and its accessories.

PLUS LINE



01338 FOOTBOARD 2 STRAIGHT STAIRCASES

Module intended for use with two staircases that can be chosen from among three alternatives: low or high steps, or a ramp. A bridge-like structure is created.



01342 SHORT PLUS STAIRCASE

It includes 3 steps that are 16 cm high.



01341 LONG PLUS STAIRCASE


It includes 5 steps that are 9.5 cm high.



01343 PLUS STAIRCASE WITH RAMP

Combined with the main footboard, an inclination equal to 18° is obtained.

IMPORTANT: when ordering, add the footboard code to the codes for the staircases chosen




Some examples of product configuration:



cod. 01338 + 01342 x 2



cod. 01338 + 01341 x 2




cod. 01338 + 01341 + 01342



cod. 01338 + 01343 x 2



cod. 01338 + 01342 + 01343



cod. 01338 + 01341 + 01343

See the initial pages of this presentation for more details on the principal characteristics of the product.

EXAMPLE OF COMBINATION OF TWO 3-METER LONG WALKPATH PARALLEL BARS WITH OBSTACLE-HURDLE MODULES

(code no. 01330) equipped with magnetic catch. The main footboard of the parallel bar system is equipped with references for applying these modules when used as hurdles.



Detail of the magnetic catch



01379 SET OF THERAPY WALK PATHS

- 08586 ROLLS AND BAGS 2 pairs
- 08587 SENSORY MODULES 2 pairs
- 08589 HEMISPHERES 2 pairs
- 08591 CONCAVE-CONVEX 2 pairs
- 01330 OBSTACLE-HURDLE MODULES 2 pairs

01335 CART FOR PORTABLE WALK PATHS

It is in painted steel and can be used for every type of module. The cart is supplied without therapy walk paths.

